

Material: 60046042 **ELASTOSIL® R 401/30 S** 

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Commercial product name: **ELASTOSIL® R 401/30 S** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / preparation:

Industrial.

Raw material for: elastomer products.

1.3 Details of the supplier of the safety data sheet

> Manufacturer/distributor: Wacker Chemie AG Street/POB-No.: Hanns-Seidel-Platz 4 D 81737 München State/postal code/city: Telephone: +49 89 6279-0 Telefax: +49 89 6279-1770

Information about the Safety Data Sheet: Telephone +49 8677 83-4888 Telefax +49 8677 886-9722

eMail

WLCP-MSDS@wacker.com

1.4 **Emergency telephone number** 

> **Emergency Information (German):** Plant fire brigade +49 8677 83-2222 **Emergency Information (internat.): National Response Center** +49 621 60-43333

## SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008:

Not a hazardous substance or mixture.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008:

No labeling according to GHS required.

2.3 Other hazards

No data available.

## SECTION 3: Composition/information on ingredients

#### 3.1 **Substances**

not applicable

3.2 **Mixtures** 

## 3.2.1 Chemical characteristics

Polydimethylsiloxane + auxiliary

### 3.2.2 Hazardous ingredients

This material does not contain any ingredients above the permitted limit(s).

The product contains the following SVHC candidate(s) (substance of very high concern) in amounts above the permitted limit:

CAS No.	Material	Content [%]	Reason for inclusion

Page: 1/8



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

540-97-6	Dodecamethylcyclohexasiloxane	>=0,1 - <0,5	Persistent,
			bioaccumulative and
			toxic (article 57d)
			Very persistent and
			very bioaccumulativ
			(article 57e)

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information:**

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

#### After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

#### After contact with the skin:

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

### After inhalation:

Material cannot be inhaled under normal conditions.

#### After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

### 4.3 Indication of any immediate medical attention and special treatment needed

Further toxicology information in section 11 must be observed.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media:

water mist, extinguishing powder, alcohol-resistant foam, carbon dioxide, sand.

## Extinguishing media which must not be used for safety reasons:

water jet .

### 5.2 Special hazards arising from the substance or mixture

Risk of hazardous gasses or fumes in the event of fire. Exposure to combustion products may be a health hazard! Hazardous combustion products: toxic and very toxic fumes .

## 5.3 Advice for firefighters

## Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air. Keep unprotected persons away.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Secure the area. Wear personal protection equipment (see section 8). Keep unprotected persons away. If material is released indicate risk of slipping. Do not walk through spilled material.

#### 6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Close leak if possible without risk. Retain contaminated water/extinguishing water. Dispose of in prescribed marked containers. Inform authorities if substance leaks into surface waters, sewerage or ground.



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

### 6.3 Methods and material for containment and cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

#### 6.4 Reference to other sections

Relevant information in other sections has to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Precautions for safe handling:

Observe information in section 8.

#### Precautions against fire and explosion:

Observe the general rules for fire prevention.

## 7.2 Conditions for safe storage, including any incompatibilities

### Conditions for storage rooms and vessels:

Observe local/state/federal regulations.

#### Advice for storage of incompatible materials:

Observe local/state/federal regulations.

#### Further information for storage:

Store in a dry and cool place.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

## Maximum airborne concentrations at the workplace:

not applicable

#### 8.2 Exposure controls

### 8.2.1 Exposure in the work place limited and controlled

#### General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat, drink or smoke when handling.

#### Personal protection equipment:

## Respiratory protection

No personal respiratory protective equipment normally required.

### Eye protection

Recommendation: protective goggles .

## Hand protection

Use of protective gloves is recommended when handling the material.

Recommended glove types: Protective gloves made of nitrile rubber

thickness of the material: > 0,1 mm Breakthrough time: > 480 min

Recommended glove types: Protective gloves made of butyl rubber

thickness of the material: > 0,3 mm Breakthrough time: > 480 min

Page: 3/8



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Note that, due to the numerous external influences (such as temperature), a chemically resistant protective glove in daily use may have a service life that is considerably shorter than the measured break through time.

### Skin protection

not required.

9.1

#### 8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters, drains or sewers and soil.

### 8.3 Further information for system design and engineering measures

Observe information in section 7. Observe national regulatory requirements.

## **SECTION 9: Physical and chemical properties**

Dranarty	Value	Mathad-
Property:	Value:	Method:
Appearance	nosto (25 °C)	
Physical state / form		
Colour	translucent	
Odour	a da coda a a	
Odour	odouriess	
Odour limit	1.4	
Odour limit	no data available	
pH-Value	-	
pH-Value	1	
Melting point/freezing point		
Melting point / melting range	not applicable	
Initial boiling point and boiling range		
Boiling point / boiling range	not applicable	
Flash point		
Flash point:	> 150 °C	(DIN 51376)
Evaporation rate		
Evaporation rate:	no data available	
Upper/lower flammability or explosive limits		
Lower explosion limit (LEL)		
Upper explosion limit (UEL)	not applicable	
Vapour pressure		
Vapour pressure:	not applicable	
Solubility(ies)		
Water solubility / miscibility:	insoluble	
Vapour density		
Relative gas/vapour density	No data known.	
Relative Density		
Relative Density	1,10 (25 °C; 1013 hPa)	(ISO 1183-1 A)
•	(Water / 4 °C = 1,00)	,
Density		(ISO 1183-1 A)
Partition coefficient: n-octanol/water	,	,
Partition coefficient: n-octanol/water	No data known.	
Auto-ignition temperature		
Ignition temperature	> 210 °C	(DIN 51794)
Decomposition temperature		- /
Thermal decomposition	> 250 °C	
Viscosity		
Viscosity (dynamic)	> 9000000 mPa.s at 25 °C	
Molecular mass		



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

#### 9.2 Other information

No data available.

## SECTION 10: Stability and reactivity

## 10.1 - 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

#### 10.4 Conditions to avoid

none known

#### 10.5 Incompatible materials

none known

### 10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150  $^{\circ}$ C (302  $^{\circ}$ F) through oxidation.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### 11.1.1 Acute toxicity

#### **Product details:**

Route of exposure	e Result/Effect	Species/Test system	Source
oral	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy

### 11.1.2 Skin corrosion/irritation

## **Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

#### 11.1.3 Serious eye damage / eye irritation

#### **Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by
		analogy

#### 11.1.4 Respiratory or skin sensitization

#### **Product details:**

Route of exposure Res	ult/Effect	Species/Test system	Source
dermal not	sensitizing	guinea-pig; Bühler	Conclusion by
			analogy
			OECD 406

### 11.1.5 Germ cell mutagenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

### 11.1.6 Carcinogenicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.7 Reproductive toxicity

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

### 11.1.8 Specific target organ toxicity (single exposure)

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

## 11.1.9 Specific target organ toxicity (repeated exposure)

#### Assessment:

For this endpoint no toxicological test data is available for the whole product.

#### 11.1.10 Aspiration hazard

#### **Assessment:**

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

## SECTION 12: Ecological information

### 12.1 Toxicity

### Assessment:

Assessment based on ecotoxicological tests with similar products under consideration of the physical-chemical properties: For this product no effects on aquatic organisms, relevant for classification, are expected. According to current knowledge adverse effects on water purification plants are not expected.

### 12.2 Persistence and degradability

#### Assessment:

Silicone content: biologically not degradable. Separation by sedimentation.

## 12.3 Bioaccumulative potential

#### Assessment:

Polymer component: No adverse effects expected.

## 12.4 Mobility in soil

### Assessment:

Silicone content: Insoluble in water.

## 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Other adverse effects

none known

## 12.7 Additional information

Easily separable from water by filtration.

Page: 6/8



Material: 60046042 ELASTOSIL® R 401/30 S

Version: 3.0 (GB) Date of print: 27.03.2019 Date of last alteration: 31.07.2018

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### 13.1.1 Material

Recommendation:

Material that cannot be used, reprocessed or recycled should be disposed of in accordance with Federal, State, and local regulations at an approved facility. Depending on the regulations, waste treatment methods may include, e.g., landfill or incineration.

### 13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations. Uncleaned packaging should be treated with the same precautions as the material.

#### 13.1.3 Waste Disposal Legislation Ref.No.(EC)

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## **SECTION 14: Transport information**

#### 14.1 - 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation ...... Not regulated for transport

Railwav RID:

Valuation ...... Not regulated for transport

Transport by sea IMDG-Code:

Valuation ...... Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation ...... Not regulated for transport

#### 14.5 Environmental hazards

Hazardous to the environment: no

#### 14.6 Special precautions for user

Relevant information in other sections has to be considered.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Bulk transport in tankers is not intended.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

# Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances (Seveso III):

Not applicable

Relevant regulations:

SI 2002/1689: CHIP Regulations 2002 SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health & Safety at Work Regulations 1999

Health & Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 & Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.



Material: 60046042 **ELASTOSIL® R 401/30 S** 

Date of print: 27.03.2019 Date of last alteration: 31.07.2018 Version: 3.0 (GB)

#### Other specifications, restrictions and prohibitions:

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals: Not applicable

#### Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

#### 15.3 Details of international registration status

Relevant information about individual substance inventories, where available, is given below.

South Korea (Republic of Korea) .....: ECL (Existing Chemicals List):

This product is listed in, or complies with, the substance inventory. Japan ...... ENCS (Handbook of Existing and New Chemical Substances):

This product is listed in, or complies with, the substance inventory.

This product is listed in, or complies with, the substance inventory. People's Republic of China .....: IECSC (Inventory of Existing Chemical Substances in China):

This product is listed in, or complies with, the substance inventory.

Canada ...... : DSL (Domestic Substance List):

This product is listed in, or complies with, the substance inventory. 

This product is listed in, or complies with, the substance inventory.

United States of America (USA)...... TSCA (Toxic Substance Control Act Chemical Substance Inventory):

All components of this product are listed as active or are in compliance with the

substance inventory.

Taiwan (Republic of China) ...... TCSI (Taiwan Chemical Substance Inventory):

This product is listed in, or complies with, the substance inventory. General note: The Taiwanese chemicals regulation requires a phase 1 registration for TCSI-listed or TCSI-compliant substances if imports to Taiwan or manufacturing in Taiwan exceed the trigger quantity of 100 kg/a (for mixtures to be calculated per each ingredient). It is the duty of the importing/manufacturing legal entity to take care of

this obligation.

European Economic Area (EEA)...... REACH (Regulation (EC) No 1907/2006):

General note: the registration obligations for substances imported into the EEA or manufactured within the EEA by the supplier mentioned in section 1 are fulfilled by the said supplier. The registration obligations for substances imported into the EEA

by customers or other downstream users must be fulfilled by the latter.

## **SECTION 16: Other information**

#### 16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

#### 16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -

Page: 8/8